
Davidson County Fire Marshal's Office
935 North Main Street Lexington, NC 27292 (336)242-2270

*Flammable and Combustible Liquid Above Ground and Underground Tank
Construction Permit Application*

Applicant Information:

Name: _____
First Last

Company Name: _____

NC Contractors License Type & Number: _____

Address: _____
Street Address

City State Zip

Phone: _____
Office Number Cell Phone Number

Email: _____

Property Information:

Owner: _____
First Last

Business Name: _____

Address: _____
Street Address

City State Zip

Phone: _____
Office Number Cell Phone Number

Email: _____

*Davidson County Fire Marshal's Office
Flammable and Combustible Liquid Above Ground and Underground Tank
Construction Permit Application*

Tank Information:

Number of Above Ground Tanks _____

AGST #	Tank Content	Tank Capacity	Inerting Method

Number of Underground Tanks _____

UGST #	Tank Content	Tank Capacity	Inerting Method

Provide a site plan along with the following information pertaining to the project:

Installation/Modification:

Construction Documents and supporting information for tanks, pads, piping, Vehicle impact protection, etc.

Removal, Abandonment, or Abatement:

Location and approximate size of all tanks.

Location of underground piping.

Inerting process.

*Davidson County Fire Marshal's Office
Flammable and Combustible Liquid Above Ground and Underground Tank
Construction Permit Application*

Application and Permit Information:

A permit fee of \$100 is due for each tank.

Construction Permit

105.7 Required construction permits. The fire Code official is authorized to issue construction permits for work as set forth in Sections 105.7.1 through 105.7.18

Section 105.7.8 Flammable and combustible liquids.

A construction permit is required to:

1. **Install, repair or modify a pipeline for the transportation of flammable or combustible liquids**
2. **Install, construct or alter tank vehicles, equipment, tanks, plants, terminals, wells, fuel-dispensing stations, refineries, distilleries and similar facilities where flammable and combustible liquids are produced, processed, transported, stored, dispensed or used.**
3. **Install, alter, remove, abandon or otherwise dispose of a flammable or combustible liquid tank.**

Permit Fee of One Hundred Dollars for each tank is due upon submission of application and is non-refundable if the application is denied. Corrected applications re-submitted for approval will be no additional fee.

A site inspection is required to ensure compliance with the North Carolina Fire Prevention Code, NFPA requirements, and the Davidson County Fire Protection Ordinance will be required prior to filling or removal of any tanks. It shall be the General Contractor's Responsibility to contact the Fire Marshal for an inspection at the appropriate time. It shall be the contractor's responsibility to ensure all work is compliant with NC Fire Prevention Code, NFPA standards, and all local laws.

Any variation from the conditions or information submitted will void this application and required a new application to submitted unless approved by the Davidson County Fire Marshal's Office.

Permits may be purchased by check at 935 N. Main St Lexington, NC 27295, or from Central Permitting at 912 Greensboro St Lexington, NC 27295 by other means of payment. Permits are sold between the hours of 8:30am-4:30pm. Contact Central Permitting at (336) 242-2230 or the Fire Marshal at (336) 242-2260.

Applicants Signature: _____ . Date: __/__/__

*Davidson County Fire Marshal's Office
Flammable and Combustible Liquid Operations and Above Ground or Underground Tank Permit
Application (Fire Marshal Checklist)*

Davidson County Fire Marshal's Office use only:

Approval Date: ___/___/___ Expiration Date: ___/___/___ Denial Date: ___/___/___

Permit Duration: ___ 30 Days ___ 60 Days ___ 90 Days ___ Duration of Operation

Permit Number _____ Fee's Paid _____ Check Number _____

Reviewed By: _____ Contact Number: _____

Tank Removal On-Site Inspection Check List (*Fire Marshal use*):

_____ All flammable and combustible liquids have been removed.

_____ All piping has been disconnected from the tanks.

_____ All underground piping has been removed.

_____ All tank openings are capped or plugged, leaving a 1/8-1/4 inch diameter opening for pressure equalization.

_____ Tanks shall be purged of vapor and inerted prior to removal.

_____ All exterior above-grade fill and vent pipes have been permanently removed.

